

201 ver misplaind finis Hypatie discuses & disorders.








in in for - we ex be to 10 de to

on misplaced flates of fiver.


The blood vepels are the Peats of common fever . It is generally diffused this every part of them, but it exists Cometimes in a sufforated flato, or an insulated flate, in particular parts of the blood repels, but it sometimes papes from the blood: repels into other Systems where it still exists with many of the Characters of Jever, and calls for the same remedies to une it. This disposition in frues to sufficient itself, or to pap into otherdys: tems must be ascribed to predisposing delility iswiting morbid excitament to







Upatic Fate of fever





V The facts which have accumulated by the labors and Observations of 2300 and werely to be seem bered upon The discuses and disorders of the liver are are are I carely to be combered. They warry Horfortinutity without Order or anage. - 2mont. They may be compared to a Jumber of Erudles of different fires, husdad together in much a manner as to be alsho reselet to offensive to the eye, and unprofitable to their bruner. Perhaps the doctrines of the thirty liver, and of the Unity of chiscase, which of have therefore any he the Ensure of arrang. to our Sight, and more profitable in the practice of mediume.

in

dr.

th

= lú

-Ci

de

20

hu

to

1

an

97

of the discuses & disorders of the liver. The discuses & disorders of the liver are involved in much blocusts. Perhapstte doets ine of the Unity of Discase Jethe Office cry of the liver which I have tapight, may wit. throw some light upon thema a know. - live of both is highly important to a physical connect its discases & cian I I shall connect its discases & disorders together, for they attended for enacte was blevded, or alternate to often with cach other, that it is improprible ty to reperate them. Its discuses are I Upatities and Hepaticula, that is, and and Chronis inflummation of the liver 2. a preternatural feesetion fixeretion of vile without any apparent organice

aff ag heir Wa is t test chy but 40 01 50 of the

Offiction of the liver. I have called it Diabetes 3 a preternatural Sceretion of a pailby flind the from the bowels hun called a Calian flux. I shall eath its discharged I believe to be Chyle, for White season I have The surve flerid is often discharged from the kidneyo. I have called it Diabetes chylones in testinalis in the former Case & Diabetes chylorus recuchis in the latter. It is in both Cases hypatic Chyle. 4 a pretimational furtion Vexerction of water. I have called this, Diabetes flywords. & a pretionational fecution & exerction of air. There called this, Diabetes Venterses. 6 a meternatural femilion & exerction of.

V Sometimes purgent, lent more generally blace Dull the price in the region of the Splein, some fine to be for the following in the left the following in the left hid mayo, in the left had some of the hid mayo, in the left is the following the hours to be the best one of the hid mayo, in the left is the following the hours to be the hid way the hours to be the lives to be the li the left like. Jonins were felt bihavise in the right Claviele, I now I then in the left - in the point of the light The pain particularly in the cary of the light The pain in the light of the light. 63 there is a th

ally black with malter from the liver. I have called it the black clowity of the liver, to depend upon different morbid actions in The Disorders of the him are Thepitalia the liver. or a laspension of Sceretion Jexention the liver to the liver 2 Journaine, 3 Cortiones of States of February & Trop bula . 6th 1, or. discussed disorgers I shall treat your in the order in which they "have been mentioned. of I The armte & Chronis inflammation of the liver. The dyraptoms of this these two thates of disease differ only in degree. They are, more or less pain in the right hypocondriae region - difficulty in lying

the I now and their a yellowness of the eyes, and stand to be face, and both of the face, and both of the face, and the top to the mentioned the patient Lay upon her right lide. + D'Portal mentions two cases, in who are of which came under his own trother, in which were attended with all the Sympotoms attendit and is always for interned.

A does the him diffuse its Symptoms in some lases that it may be bounded ampound to a Volcans journing forth its leve over very part of adjacent part of the body, and sometimes to its
contraction . The touch - body nation inchind
forward Ito the lift side. 7 De m Dowell - mor Litasian ous & Capit: Blair. + mm Pailebell.

the, ber

is

an

di

2

him

= 1

a

Z

h Par

lo

the risks lide. This difficulty is quantistiblen the pains is an the left inflammation is teated is forme times "felt in the right thigh, ligh yes and arm. with these Lyingstowns there are difficulty of buelling with truth Schools the tion of the Shortours, Dry Coughing - We = -king, Tolie, Volie, Distributes Cortiverely- Di= t at rich = anhor anempanied with Stools to acrid as to exerciate the rection - tens - must be this I have teen three instances, in the free for the fruits, in the freeze freeze for the thing, hardness, and Joseness of the gums, Tir John Bring le tells he were dans a lase of diseased tiver in which the patient could rest only upon his hands and knees . So catuminely This disease is furnationes Confounded ir. with preumony. It way be distinguished

for an pul ley dus free on th wi = a lu Ch th w t E

from it by the following marks. In the neste & Chronic States of influencation of the liver, the pain is currensed by prepure under the ribs. 2 it is energes ? by a full inspiration. 3 The longh is to dup and hollow, and not energed by a full inspiration. 4 The Cough generally Insceeds the pain in the lide, whereas in promony, it is prior to it, or coural with it. To this there is an exception in those sufficiated Cases of positioning in which there is no cough. All these Sypupl: = one are dometimes blended when the lungs and liver are both inflamed, which I shall say hereafter is sometimes the Croe. It has been runashed, when woming ting attents, the hungs are less affected with Course, and there is less pain in the shoulder. The pulse is with states of


V The acute form is most common in enoderate & cold Chinates, - the Chronic in het Climates, and for a renson given formally, that is the example flate of from great heat, ing the reaction of existability presenting the reaction of The System as to produce a violent di . Open discuse.

Unpatitis is hymochus fortis, Synocha, Synochrela, and formationes morbidly natural. It is generally most active on Itre affectes lide, which serves still further to distinguish this discuse from por unony. I have seen meanly all the hymptons That have been exerces to, but I never som them all in any one case. They are varied by Chineste, feason & Constitution,

This and for the auntity therein States of Thysatities to cariot separately. They generally Often appear in Incerpion, & alternate with cach Other, or blend this Lymptons together. In the Chronic form there is some.

times a total Absence of pain in the house. caust when the hier is prepar with the had. The Stomach is generally affected in this case. Indeed an affection of the Stomach. is seldown lebs ent in a diseased liver from

un



never suffers that form of house we welled spasser. This is as arises from its not being popped of a 2mms culous structure.

Jhave said the pain is formationed seated in the left lide. This is Oftner the case in Women than in enen. The only instances of it that have lower lender my notice were in lower. In one of them the pain extended below & under the fhost sibs. In the lost Indies not more than patient in an los complains of a pain in the left lide. It is more common in the left lide. It is more common in this Country.

Sometimes the discuse comes on without any one of the above Symptoms



that have been mentioned, nor is its existence known, Until death discovers by difsection the complete Destruction or absorption of the liver. This was the lase in the famores his William Jones & is not con. - common in the was East Indis. But there is another time Secret & rensuspected termination of this Diocese in death and that is by means of a Chronic abscep, or longestion of matter, bile, blood, and water . It's One Case of this kind came under any lare. The patient complained Only of an oppression on his eight how and head ach. He kyst his feet until a frew days before he died. The Congestion broke, before his death, and have reason to believe of Cost another

+ g Cluy ü h L w - 2 3 mg E to the ma a to-7

patient from the same Cause. The died with no other hymptom of discuse than a brifling diamhan, but to had her been afflicted with Tymptowns of Chronic Itypatitis some years before. Ebeselven in his anatomy mentions a case of about in the liver which had existed there 24 years. I lost apatient in the year 1800 in bracists it there was reason to believe an about, or hepatic longestion has existed for many years before he died. He had complained only of a poo dull pain in his live which his physician who precuded me in attending him, ascribed to gout. The Died Four After the regeture of this Congestion, of derangement.

V and in the insitution which is some. - times excited by gull Homes, and the prepure of adjoining viscera. 76

The remote lanses of the inflam: of the liver whether auto, or throwie are primary is and ferondary. The primary was may be Jumaned up in Controions, The latter are very munerous. There is travely a part of the homan body that the does not comy enorbid impressiones in a quater or ly deque to the liver. In this many physiciams of the liver of the liver of the liver of School which considered the liver in which as the Cloaca magne or quat tinh of all the impurities of the body were collected in order to be conveyed out of the body.

Let with this opinion, but that the flub: = 1 bitute imprepions for impurities the The head and the fly was open to many in a front imprepions, constantly upon it.

nez



The exposure of 12 los becomes the head is somether. - force to a Vertical from in the East is, one of the Causes of Intio, and Other hot Countries that dio: cases & disorders of the liver son hat Constitute more Common than in Cold Countries. The influence of Continsions upon the head in existing a puking of till is another proof of the head throwing its excep of in. - presions upon the liver. In The But The head is not singular in throwing its undue imprepious upon the hier. The Hornach - the intestines - the Holun - the would and the Skin all do then the same thing when unduly existed. - hence we to Often see a discharge of bile accompany

1. V intemperance in cating & Drainking,

The good of the good distributions. The good dis
Rvin o migsmatic exhalations. To often dis-- words itself in morbid affections there of The liver that DrDanein has supposed it to have its primary leat in the it, but the effect here is mistaken for the Cause. But the last sond forcintipat course

a sich stormach, and more certainly a Vomi? ting whether brought on by nature ong art - also colie or a pain in the bowels. - Exerciption Obstruted Spleen - Conception's and pregnancy, and lastly the action of heat upon the Impace of the body were a wound upon the finger & cold feet Dr Campet Jayo have indued Tympa. - thetie motions in the liver. But the most frequent servote lances of These the liver in farma Koinomias matice the - halations. It is immaterial whether, Tympathatically this the midiene of the the trans Homenaha the hungs, on the brain There can be no doubt of

OV From its rarely affecting persons particulars it awards with the bilions or yellow fiver of the East und brest Indis. V gnotes from a Dr Frisher the his. -tory of a similar apidemia in some part of Europe.

2.7

·

This producing hepatic discuse, and par - timbarly inflammation. That this is the case I infer from those discases exis: - ting in Jolaces & feasons in which the is discuse usually produced by miasonata grevails, that is the bilions from " 2 From its affecting robust more than! weakly people, and box and men often than women - the latter in the ratio anording to Deblash of 93 to 3, in One of the West India Islands, de and V 3 know its appearing townstimes in the from of an Epidemie in Common with the Cilives fever. Dr Chisholm mentions an Egidenic hypatities in the island of granda, and Distinton Di Italler U 4 Inom its according to exactly with

110 2 B 3 in

the bilions four in Attacking prinous of the manner in which it attacks per: · Sous of different descriptions in the East and west Judies. how Corners are affected to with the aute form of the discuse. Oto Lettlers who have been become what is the funch call acclimated, are affect . . . - ted with its Chronic form, while the natives are seldom affected with it, on if they are it is in so will aftate no sauly to end in hyspurahou. Iron the missmata which produce biliousle yellow fivers act exactly with the same relative force upon those thru descriptions of people in the East & west Indies. 5 I beside a new and throng argument in former of the sameness of this cause of



bilions fevers and 16 auts & Chronis inflam? of the liver from the late very great concresse of both is with all thier would Consequent e disorders en many parts of the United States is They are the Offerts of the same Courses Which have evenused bilions fivers in our Country. A hypatities is nothing but, a mispland, or sufficiated bilions fruen, While a biliones fever may be considered only when the it arises from march missmata, only as a diffused hips - tities. There are many dinvilar instantes of the same discuss tristing in a sufficiated and diffusio state. Thus Coma and even apoplery cease with the lowing on of a Jener, and a Grasse in the floracte from gout in causes with the Coming on

V existing Courses of hepatites are the


of pains in the limbs. I shall only add "
upon this part of our Subject that the of
Upsatities Differs in some of its Characters from the hypatilis of the East & west is Indies, particularly in attacking per: - sons under proberty as well as abults. The difference however is no greater than, is Observed between the bitions process of the three Countries. The witing lander There is a Cause of Vepatitis taken notice of by Dr Cleshown and that is bad Water. It nets probably by conveying the same posions to matters into hystern that are conveyed into it by bad dir. It awards with bod air or mine in producing bitions fevers as well as inflammation in the liver. The V I believe I shall be safe in



apriling that komowiamata produce Constitute 8 of all the vernote laure of both aute & Chronic hepatitis. The premonitory figns of this discuse in Whether in its arests or Chronis form are the East Indies are an inordinate appetite, ic , great elevation or deprepien of Spirits and a dry Skin from the dreppression of perspiration. In the united States it Joain in the Ligatide & flaterling - in: - Digestion, Costinenes or a diarrhaa, and a yellow last in the eyes or face. There is subject to a litiren of Philade who then the stronger frequent attacks of Chronic hypotitis who can always fortel an attach of it from his Urine burning suddenly burbid and

V for the same congestion which produces takes place in the live god perhaps muchell thering bes oftener than in the trungs, It should omity to the name we have given that form of preumony, it would be equally mojns to call this from of Thepalitio, Reputitio Congesta. nor should bleding be =

zellow. The Remedies in this forming state of both auti & Chronis inflam? of the liver though he bluding, a purge, a Donit, rest and absternions dit. The Disease is Often by these means checkers, ic Strangled as it were in its birth. after il is formed, the Remedies thould be I Bloodletting - coprious in its arute, and frequent pull as to force, forbid this remainedy, where great pain, opportsion & difficulty . of building are present, wor thousait - forbisten by warms weather. Dellark Dun from and ldig to low of blood in this disease in a hot west India island in the lower of eight and forty hours. -Rostlest Take notice gentlemen - there is




wech a rapid tendency to happuration & in Doeth in this Discase that nothing but of prompt and copious bluding can prevent he them. Even my hand which has been so so often accessed of stading thouse mender by means of this remedy, has are not been able in the supplication to prover to be supplied to prover to be supplied to prover to be supplied to prove the state of the season of the season what I thought be found in the season of the season what I thought be foundation by the season what I thought be the most liberal roc of the lancet. I blid a min moffat in the year 1779 15 times in this discuse, and although I saved her life, I did not prevent a Supporation of her liver. - of was yoully inousepful in presenting the same if we of the diorase by 38 bludings in the Ellest Daughter of Indge Peters in the Course of



Sour months. Blud carly-therefore gent? blud expriously - and blud often of aunding to Circumstances if you wish to be more such fre than I have been in the Cases I have mentioned. next to bluding 2 Pinges thould be given in this diouse They thould be limitent , or artire anothing to the greater or less costis degree of Ob: truction that takes place in the bowels. Calonel thould be given with thein. It offers obstructions where they are snort apt to occur in this discuse, and that is in the upper bowels. The Penging moditions thouto be aided by Jhysters. They relieve tolis which is Often Connected with hypotitis, and




they blunt the acrimony of those hu. : mors which indus pain in the dio: 5 - charge of the four & timesours. If the patient has been Intricet to the piles, great advantage will arise from inducing them by means of Himulating hypporatories, & when induced, to draw blood from them. 3 Blisters should be applied early, and When the discase is Chronie, frequently to the region of the liver. 4 In Cases of great pain after mitable depletion, Opium may be given with Safety and advantage. It is to be lamented that the discesse Often risists all the remeties that have



2.3


been mentioned, in which Cases 5 recourse Should be had to Calonel, & in each doses as to affect the mouth. The former this is Done, the more cer-- tainly a Suppuration will be purnted, for the merenial of proppuratory action are often in compeleble and when the cannot go on together, and when the mesury does not act up in the Jahin - my glands there is always reason to fear m Bogue ofthe a East India Lugion tells as, that Suppuration has begun in the liver. If the Dipleting summeris do not relieve in form days it is sup: -posed to it is humase the hyppurative proup has taken place, but this must be different in different Countries, and in different grades of the disease. When



the mercury first creates fores in the month it teldown Jahinates. This remark ? applies to Other Diseases as well as to hypatitis. merenny is emprosed to act your fically in aring hepatitis. This Opinion took its rise in the infamy of our knowledge of the action de use of pros meseury. as a pringe it is true it acts powerfully upon the biling duets in scorning away obstructed and impacted bile, but when it fabruates it acts in this Disease as it does in all Other inflammations of the Viscera, biz: by existing another & a defer action, and by depleting from a dage ementery. - Where sufficient bloodletting has been used, a fabration is seldom neupary




to cure this discuse. It is remarkable, errors have their metastases as well as discuses. hommerly every viscus had its fresific negetable remedy. The liver had its liver wort. Inesury has sup. = phied the place of this specific. From a While like liver wort, it was longined only to the diseases of the liner-thin it was applied to the diseases of the brain, and lefternands given gradually and with a trembling hand in the discases of the bowels. Ho a belief in the lines of the proof mate course of all transfet the Unity of discases and in the transfet to and just opinions of the menner in which all medicines act, have taught us that a fativation is alike



proper in all discess in which a mm aand safe artion of depletion are required. To confine a fativation exclusively to a discuse of the liver, brain and bowels, is as improper as it would be confine the use of minn exchasively to the Crue of a tooth ach, or bluding to the cure of a pain in the lide. 6 DrDick of Calcutta rays where the mercury fails of curing the Chronic form of the hypatitis, he has done great service hypping a feton in the fide in the direction of the liver. I have invitated this praetite, and twice with Surely, but I have confeloy a for the purpose of creating an ipre a Canotie instead of an a fetour.

V the Lymptons of which are thills, Depation of pain & heetie fever. The matter when formed

The liver though so much disposed to inflammation sarely terminates in morti-= firetion. I have never seen a last of it. Where the inflame is not reduced by dysleting remedies, it generally ends in a Soppuration, whends discharges itself in One of the following Ways. 1 Isternally. This occurs only when the influent is sented in the convex part of The liver. an arherion first takes place between the liver and the peritorial Cont of the muscles of the Sive. 2 Internally into the Inoderner throthe Conserver duct, or by an adhision of the duodinim 3 Into the country of the abdowner. 4 Into the Colore by means of wherion. 5 Through the kidneys after being ales



bhito the prise Hornach hymners, of ahoion. I Into the pericurdium. This is taken notice of by Dr Thomas Clark. I hato the cavily of the thosax by menes of an ahesion to the diaphings 9 Justs the Substance of the lings by means of an Adhesion of the lungs to the diaphrapm is well as to the When the matter points externally, a Impouration thout he hastned by soft poulties, and the about should be ope ned as born as it sape to do so. Dr Cluck sugs two out of the recover where the absorp is yound by the bount, and that all die when it it is left to open of itself. Causties are formationes

V Where there is ressounts believe the about tinds to open itself in That way, it may be accelerated by menns of an emetie. I think the warran whom I bled 15 times "with. = out preventing a happuration of her hiver, by means of this envery. The matter discharged from the abscept of the liver is not only airid, but formetimes very fortid.

preferred to the landt for the prespose of hoch orging the malter from these. I have twice mucho by means of the lancet - Once in 1799 in a young lady of sixteen, and again in 1862 in a little girl of six years HD. It is Umarhable the hepatities were termi: - nates Dr Clark tetts us by an external absup in the Bast Indies. a nimery fraporately takes place when The Inalter is discharge form into the Dustenum this the Common duct . as Us was from the matter is bischarged into the running often takes
place when it, is discharged into the Colon, and when it papes out of the System by oneans of the absorbents through the kidneys. It movery seldom

